FORM-PTO-1390 (Rev. 5-93)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US)

ATTORNEY'S DOCKET NUMBER

030350-008

	CONCERNING A FILE	U.S. APPLICATION NO. (If known, see 37 C.F.R. 1.5) Unassigned 8 / 9 3 0 0 3				
INITEDNATIONAL APPLICATION OF			PRIORITY DATE CLAIMED			
	TITLE OF INVENTION METHOD AND ARRANGEMENT IN A RADIO COMMUNICATION SYSTEM					
	CANT(S) FOR DO/EO/US or TURINA and Lars BILLSTR	òм				
Applica	Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:					
1.						
2.						
	-1 \sim 1					
4[2	A proper Demand for Internation	al Preliminary Examination was made by the 1	9th month from the earliest claimed priority date.			
5.	A copy of the International Appli	cation as filed (35 U.S.C. 371(c)(2))				
•	a. X is transmitted herewith	n (required only if not transmitted by the Inter	national Bureau).			
1 = 1 1 = 1 1 = 1	b. 🗵 has been transmitted l	by the International Bureau.				
ڙڙا ڪ	c. is not required, as the	application was filed in the United States Rec	eiving Office (RO/US)			
6.	A translation of the International Application into English (35 U.S.C. 371(c)(2)).					
7. 🕽	Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))					
ا لال	a. are transmitted herewith (required only if not transmitted by the International Bureau).					
ųĴ	b. have been transmitted by the International Bureau.					
E (4.5	c. have not been made; however, the time limit for making such amendments has NOT expired.					
1						
8.	A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).					
9.	An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).					
10.	A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).					
Items 1	Items 11. to 16. below concern other document(s) or information included:					
11.						
12.	An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.					
13. X	A FIRST preliminary amendment.					
	A SECOND or SUBSEQUENT preliminary amendment.					
14.	A substitute specification.					
15.	A change of power of attorney and/or address letter.					
16. 🗀	Other items or information:					
inte	international Search Report; International Preliminary Examination Report; and Notice Informing Designated Offices					

บ S. APPLICATION NO. (If known, see 37 C.F R 1.50) Unassigned		INTERNATIONAL APPLICATION NO. PCT/SE96/00299			ATTORNEY'S DOCKET NUMBER 030350-008	
17. X The followin	g fees are submitted:		CALCULAT			PTO USE ONLY
Basic National Fee	(37 CFR 1.492(a)(1)-(5)):					
Search Report has	been prepared by the EPO or JP0	o	\$910.00			
International prelin	ninary examination fee paid to US	SPTO (37 CFR 1.482)				
No international preliminary examination fee paid to USPTO (37 CFR 1.482) but international search fee paid to USPTO (37 CFR 1.445(a)(2)) \$770.00						
Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$1040.00						
International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4)						
	ENTER APP	PROPRIATE BASIC FEE A	MOUNT =	\$ 1,	040.00	
Surcharge of \$130.00 for furnishing the oath or declaration later than 20 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				\$		
Claims	Number Filed	Number Extra	Rate			
Total Claims	7-20 =	0	X \$22.00	\$	0	
Independent Claims	4-3 =	1	X \$80.00	\$	80.00	
Multiple dependent clai	m(s) (if applicable)		+ \$260.00	\$		
20	TC	TAL OF ABOVE CALCU	LATIONS =	\$ 1,	120.00	
filed Note 37 CFR 1.9	ling by small entity, if applicable. 9, 1.27, 1.28).	Verified Small Entity statemen	t must also be	\$		-
		SI	JBTOTAL =	\$ 1,	120.00	
Processing fee of \$130.00 for furnishing the English translation later than 20 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				\$		
TOTAL NATIONAL FEE =			NAL FEE =	\$ 1,	120.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property + \$						
, , , , , , , , , , , , , , , , , , ,		TOTAL FEES EN	ICLOSED =	\$ 1,	120.00	
			Amo	unt to be: refunded	\$	
な。 - 255 -					charged	\$
a. X A check in the						
	Please charge my Deposit Account No. <u>02-4800</u> in the amount of \$ to cover the above fees. A duplicate copy of this sheet is enclosed.					
c. The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 02-4800 . A duplicate copy of this sheet is enclosed.						
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.						
SEND ALL CORRESPONDENCE TO:						
Burns, Do	Grudziecki ANE, SWECKER & MATHIS, L.	L.P. SIGNATUI	RE COLO	Ch	1)03	· (X)
P.O. Box 1 Alexandria	1404 i, Virginia 22313-1404	<u>Steven I</u> NAME	M. du Bois			
		<u>35,023</u> REGISTRA	ATION NUMBER			

Patent Attorney's Docket No. 030350-008

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of)
Dalibor TURINA et al.) Group Art Unit: Unassigned
Application No.: Unassigned) Examiner: Unassigned
Filed: September 26, 1997)
For: METHOD AND ARRANGEMENT IN A RADIO COMMUNICATION SYSTEM)))

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

Grand Street Street Street Towns

Prior to examination, please amend the above-identified application as follows:

IN THE CLAIMS

Please amend claim 3 as follows:

Claim 3, line 1, delete "either of the preceding claims" and insert therefor --Claim 1--.

REMARKS

The above amendment to claim 3 has been made in order to eliminate a multiple dependency. Favorable consideration on the merits is respectfully requested.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

Post Office Box 1404 Alexandria, Virginia 22313-1404 (703) 836-6620

Date: September 26, 1997

Steven M. du Bois

Registration No. 35,023

10

15

20

25

30

08/930039

Method and arrangement in a radio communication system

TECHNICAL BACKGROUND

The present invention concerns a process for a radio communication system which is arranged for packet data transmission according to a message-synchronized ALOHA protocol with reservation. The invention concerns a process for requesting access in a momentarily overloaded mobile radio system, wherein an access request received in a base station from each station in a first group of mobile stations cannot be responded to by channel reservation for the first group of mobile stations.

The invention also concerns a base station and a mobile station in a radio communication system for packet data transmission.

PRIOR ART

In the case of mobile radio communication systems for packet data transmission a base station can communicate with a plurality of mobile stations via one or a plurality of time-divided channels between the base station and the mobile stations. A time-divided channel is divided into time slots. A data burst with a number of information bits can be transmitted in each time slot. The mobile stations do not communicate continuously with the base station and a plurality of mobile stations can therefore compete for the same time-divided channel. Channels are allocated dynamically, separately from the channel requirement of the mobile stations and channel allocation is controlled by the base station.

A mobile station announces a channel requirement by sending an access request to the base station. This access request is sent in a reservation phase in the time-divided channel for transmission from the mobile stations to the base station. Different types of protocol can be used in order to control the access request and channel allocation. A conventional protocol in the case of dynamic allocation of time-divided radio channels is a message-synchronized ALOHA protocol with reservation. In the case of this protocol, each packet transmission is preceded by a reservation. A short message with a request for channel reservation is sent at random from a mobile station to a base station. According to the ALOHA reservation protocol, the result of this access request is fed back by the base station giving the mobile station access

10

4

15

20

25

30

to at least part of the time-divided channel.

Since many mobile stations may have a need of packet data transmission, collisions can occur as a result of a number of mobile stations sending access requests simultaneously. This means that, of the messages sent simultaneously, in the best case the base station can accept one message (by using the so-called "capture" effect). In the case of a collision, the sending mobile stations which do not receive channel reservation have to repeat their access requests. In order to reduce the risk of a further collision, the repeated transmission occurs after a given time interval which varies for each mobile station. It is well known that this time interval can vary randomly for each mobile station.

When all the free channel capacity in a radio communication system has been reserved for communication, overloading occurs if a further mobile station sends an access request to the base station. The latter receives the access request in itself from the mobile station but cannot comply with this request within a given predetermined time interval since there is no free channel capacity. The mobile station is then forced to repeat the access request in the same way as in the case of a collision, when the predetermined time interval has elapsed. This naturally leads to unnecessary extra channel loading, unnecessary delays in the mobile system and the risk of collisions occurring when transmissions are repeated.

US-A-5 166 929, for example, earlier disclosed a multiple-access protocol, in the case of which feedback concerning the status of an access channel is provided from the base station to the mobile stations. The mobile stations can thereby receive information concerning the result of an access request, for example, that a collision has occurred, and whether the next time slot is open for the sending of new access requests. This information makes it easier to determine when a new access request should be sent. A disadvantage of this protocol is that an overload situation is unmanageable. An access request received in the base station has to be repeated in a situation in which channels temporarily cannot be allocated in the base station owing to overloading, i.e. no channels are free.

A paper entitled "Medium Access Priority" by Motorola and presented at the standardizing meeting within ETSI STC SMG2 in Edinburgh on 7 March 1995 discusses a possible need of acceptance confirmation in the case of access requests from a mobile station to a base station. According to this paper, the mobile station is thus to be informed whether the access request has been correctly accepted in the base station. However, it is not mentioned as to how this confirmation of the access request is to be carried out.

DESCRIPTION OF THE INVENTION

The object of the present invention is to propose a process in a radio communication system for packet data transmission. The invention achieves this object by managing the access request from each station in a first group of mobile stations to a base station in a momentarily overloaded radio communication system which lacks free channel capacity for data transmission.

15

20

25

30

10

5

The object is achieved by the use of a message-synchronized ALOHA protocol with reservation. Packet data transmission is carried out via one or a plurality of timedivided channels between a base station and mobile stations. The mobile stations are arranged so as to send the access request to the base station during a reservation phase in a mobile radio system which uses this protocol. The base station is arranged so as to accept and comply with the access request from a first mobile station by sending thereto a channel reservation message comprising a channel reservation. As a result of this channel reservation, time slots for packet data transmission from the first mobile station to the base station are reserved. The base station is further arranged to accept access requests from a first group of mobile stations for which channel reservation momentarily cannot be carried out. In accordance with the process according to the invention, receipt of the access request from the first group of mobile stations is confirmed when the channel reservation cannot be carried out in the usual manner. Confirmation is sent in the form of access confirmations which are included in the same channel reservation message as said channel reservation for the first mobile station. The channel reservation message is received by each of the mobile stations in the first group. The mobile stations are actuated so that they await channel reservation without making repeated access requests. In connection with the

access confirmations, a queue of the mobile stations in the first group is arranged in the mobile radio system. Channel reservation for the mobile stations in the first group is carried out according to their position in this queue.

- 5 The invention also concerns a base station and a mobile station in a radio communication system for packet data transmission. The base station and mobile station according to the invention are arranged to implement the process according to the invention.
- 10 By means of the process according to the invention the load on an access channel to the base station can be decreased since the number of times which an access request is repeated in the system is reduced. This naturally reduces the average delay in transmission of data between a mobile station and a base station. Furthermore a shorter time interval can be predetermined before the access request is initialized 15 again, which means shorter average access delay.

DESCRIPTION OF THE DRAWINGS

Figure 1 shows a mobile radio system with mobile stations and a base station; and

Figure 2 shows a channel reservation message from a base station to mobile stations.

PREFERRED EMBODIMENT

30

In the following the invention will be explained in greater detail with reference to the drawings, in which Figure 1 shows a cell 1 in a mobile radio communication system 25 with mobile stations MS1 - MS3 and a base station BS, for example a GSM system for communication via time-multiplex channels (TDMA).

In the preferred embodiment a single communication channel Ch1 adapted for packet data transmission is used. This means that both data packets and associated control signals are transmitted via the same channel.

A mobile station MS1 initiates packet data transmission by sending an access request

:[1]

20

And the second state of th

25

30

During the time slots which are free between the transmission of different data packets from mobile stations to the base station, i.e. open for access requests, a

possible to send access requests by placing a flag on the channel to the mobile

stations MS1 - MS3. When packet data transmission in the allocated time slots has terminated, the base station indicates that a number of time slots in the channel from

the mobile stations to the base station are again open for access requests. Access

requests can again be sent randomly to the base station.

to a base station BS via a data packet channel. This access request comprises identification of the transmitting mobile station, for example in the form of a random figure, possibly together with information about the desired class of service (for example, priority). The access request is dispatched randomly in order to reduce the risk of access requests from a plurality of mobile stations being sent simultaneously, but the request has to be sent within a given time interval which is reserved for this type of transmission. This time interval can, for example, consist of a time slot in a number of periodically recurring time frames. When the access request has been received and if channel capacity is available for this packet data transmission, the base station BS sends a channel reservation message 2 to the mobile station MS1. This channel reservation message includes a channel reservation whereby time slots for transmitting from the mobile station to the base station are allocated. The channel reservation further includes a reference to the access request which is accepted. The reference includes the same information which was received in the access request and a reference to the time frame or time slot in the time-divided channel Ch1 in which the access request was received. A mobile station MS1 thereby receives information as to whether the channel reservation is intended for this very mobile station. The mobile station MS1, from which the access request originates, thereby receives information that it has been allocated time slots for packet data transmission.

During the time in which the mobile station MS1 carries out packet data transmission

on the reserved channel, it is important that the other mobile stations MS2, MS3 do not attempt to initiate transmission on the channel. Access requests from the mobile stations are therefore only permissible when the base station BS reports that one or a plurality of time slots are free for this purpose. The base station indicates that it is

10

25

plurality of mobile stations MS1 - MS3 can send an access request to the base station BS. If transmission occurs at the same time for some of the mobile stations MS1 - MS3, a collision occurs between the transmissions. In this collision situation, the base station BS is unable to interpret the message from more than at most one of the stations in question and the transmission of the access request therefore has to be repeated.

If a plurality of mobile stations MS1 - MS3 send access requests without overlapping to a base station, the channel reservation can only be carried out for one or more of these stations. When a channel reservation is carried out for a first mobile station MS1, the other mobile stations MS2, MS3 have to await free channel capacity in spite of the fact that the access requests from these stations have been received correctly in the base station BS. In re-transmission situations access requests can also be received randomly between different transmissions included in a sequence relating to the same data packet. This depends on whether it is desired to use the gaps in such a sequence so that access requests can be received. According to the invention, in order to prevent a new wave of access enquiries from these mobile stations MS2, MS3, each access request correctly received in the base station (up to a given limit) is usually responded to. Access confirmations 4, 5 are accordingly sent to at least a number of the stations MS2, MS3 which do not immediately have a channel reservation 3 accepted. These access confirmations are included in a channel reservation message 2 comprising a channel reservation 3 to the mobile station MS1 which is allocated a channel in response to the access request. Such a channel reservation message 2 is shown in Figure 2. Since this channel reservation 3 is sent in a message 2 in a format which is common to all the control messages, for example comprising four time slots, and since given control data can be used together, a limited number of access confirmations 4, 5 can be included in the same message 2.

These access confirmations consequently do not give rise to increased channel loading.

The confirmation of correctly received access requests from a number of mobile

WO 96/31077

5

10

stations enables a queue of mobile stations awaiting their turn for packet data transmission to be arranged in the mobile radio system.

7

When packet data transmission is used in the GSM system a limited number of access confirmations can be included in a message with channel reservation. As concerns the reference to the time frame when the enquiry from a mobile station was received, this access confirmation is carried out in two ways. The first way is to indicate the number of the time frame (related to a given multiframe structure which is used in the system), in the same way as in the channel reservation 3, in part of the channel reservation message 2. The other way is, instead, to use a reference relating to the time frame which is given in the usual channel reservation message.

It will be appreciated that the invention is not restricted to the above-described embodiment but encompasses any embodiment which lies within the scope of protection of the following claims.

CLAIMS

5

10

The second secon

20

25

- 1. Process for a radio communication system which is arranged for packet data transmission via at least one time-divided channel (Ch1) between a base station (BS) and mobile stations (MS1 MS3), according to a message-synchronized ALOHA protocol with reservation, the mobile stations (MS1 MS3) being arranged to send access requests to the base station (BS), which is arranged to receive and comply with access requests from at least a first mobile station (MS1) by sending thereto a channel reservation message (2) comprising a channel reservation (3), whereby time slots are reserved for packet data transmission between the first mobile station (MS1) and the base station (BS), and to receive access requests from a first group of mobile stations (MS2, MS3) for which channel reservation momentarily cannot be carried out, characterized in that:
- the reception of access requests from the first group of mobile stations (MS2, MS3) is confirmed in the form of an access confirmation (4, 5) from the base station (BS) to each of the mobile stations (MS2, MS3) included in the first group;
- these access confirmations (4, 5) are included in the channel reservation message (2) with the channel reservation (3) to the first mobile station (MS1);
- the first group in the radio communication system associated with the access confirmations are arranged in a queue, a queue position being allocated to each of the mobile stations in this group; and
- channel reservation is carried out for the mobile stations according to their queue positions.
- 2. Process according to Claim 1, characterized in that:
- the channel reservation message (2) is read by all the mobile stations from which access requests are received in the base station; and
- access confirmations (4, 5) included in this channel reservation message (2) are received in the mobile stations (MS2, MS3), whereby the latter are actuated so as to await channel reservation without making repeated access requests.
- 30 3. Process according to either of the preceding claims, characterized in that:
 - a first reference is supplied in the channel reservation (3) to the first mobile

13.5 [1.]

25

30

station, which first reference refers to a first time slot in the time-divided channel (Ch1), in which first time slot the access request from the first mobile station (MS1) was received in the base station (BS); and

- a second reference is supplied in each access confirmation (4, 5), which second reference refers to a second time slot in the time-divided channel (Ch1), in which second time slot access requests were received in the base station (BS) from the respective mobile station (MS2, MS3) for which the access confirmations are intended.
- 10 4. Process according to claim 3, characterized in that:
 - the second reference is made up of the number of time slots between the first time slot and the second time slot.
 - 5. Process in the case of a base station in a radio communication system which is arranged for packet data transmission, via at least one time-divided channel, between a base station and mobile stations, according to a message-synchronized ALOHA protocol with reservation, comprising the following steps:
 - receiving access requests from the mobile stations;
 - complying with the access request from at least a first mobile station by sending a channel reservation thereto, whereby time slots are reserved for packet data transmission between the first mobile station and the base station;
 - giving access confirmations to each mobile station in a first group of mobile stations on receipt of access requests from the first group of mobile stations for which channel reservation momentarily cannot be carried out:
 - sending these access confirmations in the same message as the channel reservation for the first mobile station;
 - arranging, in association with the access confirmations, in the radio communication system a queue of the mobile stations in the first group, a queue position being allocated to each mobile station; and
 - carrying out channel reservation for the mobile stations according to their queue positions.
 - 6. Base station in a radio communication system, which is arranged for packet data transmission via at least one time-divided channel (Ch1) between the base

Character for the control of the con

25


30

station (BS) and mobile stations (MS1 - MS3), according to a message-synchronized ALOHA protocol with reservation, the mobile stations (MS1 - MS3) being arranged to send access requests to the base station (BS), which is arranged to receive and comply with access requests from at least a first mobile station (MS1) by sending thereto a channel reservation message (2) comprising a channel reservation (3), whereby a number of time slots are reserved for packet data transmission between the first mobile station (MS1) and the base station (BS), and to receive access requests from a first group of mobile stations (MS2, MS3) for which channel reservation momentarily cannot be carried out, **characterized in that:**


- the base station (BS) is arranged to give access confirmations (4, 5) to each of the mobile stations (MS2, MS3) which are included in the first group and from which access requests have been received;
 - the base station (BS) is arranged to include these access confirmations in the same channel reservation message (2) as said channel reservation (3) for the first mobile station (MS1);
 - the base station (BS) is adapted to arrange a queue of the mobile stations (MS2, MS3) in the first group, a queue position being allocated to each mobile station; and
 - the base station is arranged to carry out channel reservation for the mobile stations in the first group according to their queue positions.
 - Mobile station in a radio communication system, which is arranged for packet data transmission via at least one time-divided channel (Ch1) between the base station (BS) and mobile stations (MS1 MS3), according to a message-synchronized ALOHA protocol with reservation, the mobile stations being arranged to send access requests to the base station, which is arranged to receive and comply with access requests from at least a first mobile station (MS1) by sending thereto a channel reservation message (2) comprising a channel reservation (3), whereby time slots are reserved for packet data transmission between the first mobile station (MS1) and the base station (BS), and to receive the access requests from at least a second mobile station (MS2) for which channel reservation temporarily cannot be carried out, characterized in that:
 - a mobile station (MS2) which has sent the access request to the base station


is arranged to read each channel reservation message (2) in the time-divided channel (Ch1); and

the mobile station (MS2) which has sent the access request to the base station (BS) is arranged to receive an access confirmation (4) in this channel reservation message (2) when the channel reservation (3) does not concern this mobile station (MS2), whereupon the mobile station (MS2) is actuated to await channel reservation without further access requests being sent.












FIG. 2

	COMBINED DECLARATION AND POWER OF ATTORNEY				Attorney's Docket No.		
	COUNTRY/INTERNATIONAL				E OF FILING	PRIORITY CLAIMED	
	Sweden	95011	77-1	March 31, 19		YES X NO	
						YES_ NO_	
	I bereby appoint the following anomeys and agent(s) to prosecute said application and to transact all business in the Panty and Trademark Office connected therewith and to file, prosecute and to transact all business in connection with international applications directed to said invention:						
*	William L. Mathis 17,337 Sungel C. Miller, III 27,560 Robert M. Schulman 21,198 Peter H. Smellen 15,213 Ralph L. Freshend, Jr. 16,110 William C., Rowland 20,188 Robert S. Swecher 19,885 Rebert G. Mohal T. Gene Billahunty 25,033 Praco N. Mandres 22,124 George A. Hovanet, Jr. 15,223 Parisk C. Keane 37,835 Benkin S. Dulfott, Jr. 22,030 James A. Labarts 24,031 Bruce J. Boggs, Jr. 37,44 Joseph R. Margender 24,219 E. Laseph Gest 25,910 William H. Batte 25,952 Norman H. Serpno 12,716 R. Danne Humington 17,903 Peter K. Skiff 21,917 Ronald L. Grudsiecki 24,920 Die H. Weistdam 30,305 Richard J. McGrath 22,193 Frederick G. Michaud Jr. 26,005 James W. Peterson 16,037 Kauthew L. Schmeider 27,193 Regir E. Shuter 25,813 Terest Sanck Rea 10,027 Michael Q. Savane 37,236 Regir E. Shuter 26,999 Robert E. Krebs 27,285 Germa F. Swece 30,123 and: Steven M., duBois, Reg. No. 35,023: Andrew F. Bodendorf, Reg. No. 39,537 Address all correspondence to: Ronald L. Grudziecki, Require Burns, Doane, Swecher & Mathus, L. L. P. P.O. Box 1404 Alexandriz, Virginia 22313-1404						
	Address all relephone calls to: Ronald I. Grudelecki at (703) 836-6620. I hereby deepare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Tide 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.						
; [full name of sole or first inventor		SIGNATURE		<u>r</u>	DATE ADD ADD	
ŀ	Delling TURNA RESIDENCE		Colin	- UN	MAG.	22 APRIL 1998	
. [POST OFFICE ADDRESS Same as above	EX_			Sweden	·	
	FULL NAME OF SECOND JOINT INVENTOR I		SIGNATURE	22.2	£ 20	DATE	
1	PESIDENCE RESIDENCE		CO3-00 /	1/62	CTIZENSED	27 APR 1996	
	Willows Vag 25, 5-171 60 SOLNA, Swaden	Sweden St. 2.17.1 60 SOLINA. Sweden SEX					
- 1	POST OFFICE ADDRESS			_	_		
	FULL NAME OF THREE DOINT INVENTOR IF A	ŊŶ	SIGNATURE			DATE	
	RESIDENCE				CITIZENSIU		
	POST OFFICE ADDRESS		·				

which priority is claimed:

APR 2 8 1998

COMBINED DECLARATION AND POWER OF ATTORNEY FOR UTILITY PATENT APPLICATION

Attorney's Docket No.

030350-008

As a below-named inventor, I hereby declare that: My residence, post office address and citizenship are as stated below next to my name; I BELIEVE I AM THE ORIGINAL, FIRST AND SOLE INVENTOR (if only one name is listed below) OR AN ORIGINAL, FIRST AND JOINT INVENTOR (if more than one name is listed below) OF THE SUBJECT MATTER WHICH IS CLAIMED AND FOR WHICH A PATENT IS SOUGHT ON THE INVENTION ENTITLED: METHOD AND ARRANGEMENT IN A RADIO COMMUNICATION SYSTEM			
the specification of which			
(check one)	is attached hereto;		
	was filed on March 7, 1996 as		
	Application No. PCT/SE96/00299		
	and was amended on (if applicable)		
I HAVE REVIEWED AND UNDERSTAND THE CONT INCLUDING THE CLAIMS, AS AMENDED BY ANY A			
I ACKNOWLEDGE THE DUTY TO DISCLOSE TO THE OFFICE ALL INFORMATION KNOWN TO ME TO BE MATERIAL TO PATENTABILITY AS DEFINED IN TITLE 37, CODE OF FEDERAL REGULATIONS, Sec. 1.56 (as amended effective March 16, 1992);			
I do not know and do not believe the said invention was ever known or used in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to said application; that said invention was not in public use or on sale in the United States of America more than one year prior to said application; that said invention has not been patented or made the subject of an inventor's certificate issued before the date of said application in any country foreign to the United States of America on any application filed by me or my legal representatives or assigns more than twelve months prior to said application;			

I hereby claim foreign priority benefits under Title 35, United States Code Sec. 119 and/or Sec. 365 of any foreign application(s) for patent or inventor's certificate as indicated below and have also identified below any foreign application for patent or inventor's certificate on this invention having a filing date before that of the application(s) on